

Technical Data Sheet

Issue date: 15/05/2015 Date last modification: 22/02/2019

## **ROLL LABEL** - WINE LABELS

# 4-RL1B-08713 MATT SILVER RP1003 WG74 FSC® CERTIFIED

### Face Material

Paper laminated with a matt silver aluminium top coated foil. FSC® certified.

Type Paper laminated with aluminium

Colour and Finish Matt silver

Weight 72 g/m²  $\pm 10\%$  ISO-536 Thickness 67  $\mu \pm 10\%$  ISO 534-80

#### Adhesive

Rubber based permanent adhesive featuring good adhesion on slightly wet surfaces.

Reference RP1003

Type Rubber permanent

Min. Appl. Temp. 0°C

Service Temp. -20°C/+70°C Shear Very High

Tack 14 N/25mm FINAT FTM9 Final Adhesion 11 N/25mm FINAT FTM2

This adhesive is approved by ISEGA (Direct contact dry & moist, non fatty foodstuffs) according to the German Recommendations XIV.

# <u>Liner</u>

Type One side siliconised Glassine

Colour and Finish White

Weight 72 g/m<sup>2</sup> ±10% PP-032 - ISO 536

Thickness 63  $\mu$  ±10% ISO 534 Transparency >40 % DIN 53 147-64

## **Applications**

Metallized effect labels for beverages, wine and promotional uses.

Not recommended for neck labels and small diameter bottles

The performance of the material on non perfectly cylindrical containers must be validated for the specific product application.

REELS MUST BE WOUND WITH THE FACE-SIDE OUT.

### **Printing Methods**

Printable with UV letterpress, UV flexo, UV offset and gravure.

Testing for suitability between media, printers and inks is always recommended prior to use.

#### Shelf life

24 months, applicable only to the material delivered by Ritrama which has not undergone further processing, under the following **STORAGE CONDITIONS**:

- This material must be stored at a temperature of  $22^{\circ}\text{C} \pm 2^{\circ}\text{C}$  and 50  $\pm$  5% of Relative Humidity.
- Storage area must be dry and clean.
- Keep the material in the original packaging when not used in order to protect it from dust and contamination.
- Do not expose to direct sunlight or heat sources.

All Ritrama products are subject to strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the product for their purposes.

All information is subject to change without prior notice.





